


## NCF4 Antibody (C-term)

Purified Rabbit Polyclonal Antibody (Pab)


<b>Catalog #</b>	<b>Applications:</b>	<b>Reactivity:</b>	<b>Accessions:</b>
AP7615b	WB, FC, IHC, E	H	<a href="#">Q15080</a>

<b>Concentration:</b>	<b>Size:</b>	<b>Isotype:</b>	<b>Clone Name:</b>
0.25 mg/ml	0.1 mg	Rabbit Ig	RB18508


**Application Data:** **Calculated MW: 39032 Da**



Western blot analysis of NCF4 antibody (C-term)(Cat.#AP7615b) in K562 cell line lysates (35ug/lane). NCF4 (arrow) was detected using the purified Pab.



Formalin-fixed and paraffin-embedded human lymphoma reacted with NCF4 Antibody (C-term), which was peroxidase-conjugated to the secondary antibody, followed by DAB staining. This data demonstrates the use of this antibody for immunohistochemistry; clinical relevance has not been evaluated.



NCF4 Antibody (C-term) (Cat. #AP7615b) flow cytometry analysis of K562 cells (bottom histogram) compared to a negative control cell (top histogram).FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

<b>Gene ID:</b>	<b>Gene Symbol:</b>
<a href="#">4689</a>	NCF4

**Other Names:**

Neutrophil cytosol factor 4; NCF-4; Neutrophil NADPH oxidase factor 4; p40-phox; p40phox; SH3 and PX domain-containing protein 4; SH3PXD4; NCF4

---

**Target/Specificity:**

This NCF4 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 267~297 amino acids from the C-terminal region of human NCF4.

---

**Application Notes:**

The suggested dilution is:

ELISA 1:1,000

Western blotting 1:50~100

Immunohistochemistry 1:50~100

Flow cytometry 1:10~50

---

**Format:**

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is prepared by Saturated Ammonium Sulfate (SAS) precipitation followed by dialysis against PBS.

---

**Storage:**

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

---

**Precautions:**

NCF4 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

---